



SPARTACOTE® Product Selection Catalogue



Snap for more information.

Globally Proven Construction Solutions





	Page
Brand LATICRETE	4–5
COATINGS	
SPARTACOTE® FLEX SB™	6
SPARTACOTE FLEX XT™	7
SPARTACOTE FLEX PURE™	8
SPARTACOTE PIGMENTS	9
MOISTURE CONTROL/EPOXY COATINGS	
DRYTEK™ MOISTURE VAPOR BARRIER.....	10
SPARTACOTE SURFACE BUILD 110™	10
SPARTACOTE SURFACE BUILD 150™	11
SPARTACOTE WB EPOXY PRIMER™	11
Concrete Dye	
SPARTACOTE VIVID DYE™	12
Metallic Pigments	
SPARTACOTE METALLIC PIGMENTS™	13
Blended Chip Media	
SPARTACOTE BLENDED CHIP	14
Blended Quartz Media	
SPARTACOTE BLENDED QUARTZ AGGREGATE.....	15
Traction and Surface COAT Additives	
SPARTACOTE GRIP™ TRACTION ADDITIVE	16
SPARTACOTE DIAMOND TOPP™	16
Concrete Repair Materials	
SPARTACOTE FAST FIX™	17
Tools and Sundries	
SPARTACOTE Roller Skin	17
SPARTACOTE Roller Frame	17
SPARTACOTE Resin Broom Handle with Head and Fitting	17
SPARTACOTE Resin Broom Replacement Head	17
 Coating Systems Coverage & Material Usage Guide	 18–21
 Terms	 22

For nearly 60 years, LATICRETE has led the industry with pioneering advancements – developing high-performance building materials for architects and construction professionals worldwide. From time-tested to ground-breaking, our broad product portfolio provides superior quality and value. We are fully committed to innovation, growth and a complete system component approach.

Tile & Stone Installation and Care Systems

Ensure a successful installation each and every time with the most comprehensive assortment of innovative tile and stone installation materials available worldwide. LATICRETE® industry-leading products provide complete system solutions from the substrate up through the grout for virtually any type of tile or stone installation in commercial, industrial and residential applications.

Product categories include surface preparation, waterproofing, sound control, anti-fracture, adhesives, grouts, sealers and cleaners, and shower system components – all designed to work together, providing a comprehensive installation.

CSI Division 9

STONETECH®

Masonry Installation and Care Systems

Keep up with the increasing popularity of adhered masonry veneers. Trust your installations to a complete, productivity-boosting system designed to deliver superior, long-term performance on masonry projects of all types, including residential, commercial and industrial applications.

Unlike traditional methods and materials, the Masonry Veneer Installation System (MVIS™) is engineered to provide a permanent, high-strength installation that uses a revolutionary waterproofing membrane to protect against weather and water intrusion, and provide freeze/thaw stability. The MVIS is designed for thin-brick, manufactured stone and natural stone veneers for interior and exterior applications. Complimentary products include paver sand, STONETECH® sealers, enhancers and cleaners for stone and pavers.

CSI Divisions 4 & 7

MVIS™

Concrete Restoration and Care Systems

A quality finished floor starts with a properly prepared surface—one that guarantees a long-lasting, durable installation. LATICRETE time-tested surface preparation products are formulated to preserve quality by protecting installations from water vapor transmission, sound transmission, and cracks. They provide a flat substrate to accommodate a variety of floor finishes, including vinyl, wood, carpet, SPARTACOTE®, and tile.

Our innovative products are engineered to ensure substrates will easily accept finishes with minimal time and maximum cost-effectiveness, no matter how challenging your subflooring project may be.

CSI Divisions 3 & 9

DRYTEK®

Resinous/Decorative Finishes

Offering unparalleled integral colours, textures, and finishes, these high-performance coatings, overlays, and restoration solutions give owners exceptionally attractive, durable and decorative floors. LATICRETE® decorative finishes allow you to deliver vivid colour and gloss with high impact and wear resistance, quick turnaround, and low maintenance.

CSI Divisions 3 & 9



Concrete Construction Chemicals

Improve the long-term durability, performance and appearance of concrete surfaces with our complete line of protection and repair solutions. Curing and sealing treatments, floor hardeners and densifiers, polished concrete systems and stain protection products work together to ensure your concrete floor is safe, resilient, and easy to maintain.

CSI Division 3



LATICRETE SUPERCAP® System

The LATICRETE® SUPERCAP® System is a time-saving, cost-effective method for finishing new concrete or capping existing slabs by combining a LEED-contributing, UL GREENGUARD Gold certified, low-alkali, self-leveling, cement-based technology with a computer-controlled mobile blending unit (pump truck).

This proven lean tool provides benefits right from the start of concrete placement in division 3 and flows through to division 9. With the ability to blend 13,636 kg per hour and deliver material up to 50 stories high, this revolutionary system benefits the entire project by providing predictable results that save time, money, and improve overall quality.

CSI Divisions 3 & 9



Industry-Leading Training and Support

UL GREENGUARD Gold Certification

LATICRETE low-VOC emission products are independently certified. Our products help you contribute toward LEED certification.



LEED Support

Our online project certification tool automatically generates required LATICRETE product information for your specific LEED project submittals. The LATICRETE LEED Project Certification Assistant can be accessed at www.laticrete.com/green. Additional LEED information and calculations are available at laticrete.ecoscorecard.com.



LATICRETE Architectural Guidebook



Use this informative online tool to get complete details for project specs and design. You can access it at: www.laticrete.com/ag.

Training and Education

LATICRETE will hold continuing education seminars right from your office. You can also attend product and installation technology seminars at one of our training centers or a location of your choice.





SPARTACOTE® FLEX SB™

SPARTACOTE® FLEX SB™ is a 72% solids, two-part aliphatic polyurea sealer/finish coating for both decorative and protective applications. This UV stable material may be applied in a variety of applications as a primer, or as a mid or top-coat, depending on the flooring system.

Code	Description	
9100-0002-2	SPARTACOTE® FLEX SB™ Clear 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
Part A: 9105-0005-2 Part B: 9106-0005-2	SPARTACOTE FLEX SB Clear Part A: 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	
9110-0002-2	SPARTACOTE FLEX SB Clear Low Gloss 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
9115-0002-2	SPARTACOTE FLEX SB Pigment Base Kit (use with SPARTACOTE Pigment) 7.6 L box kit contains: Part A: Short Filled 2.8 L in 3.8 L pail Part B: 3.8 L pail	
Part A: 9114-0375-2 Part B: 9119-0005-2	SPARTACOTE FLEX SB Pigment Base (use with SPARTACOTE Pigment) Part A: Short Filled 14.2 L in a 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	

SPARTACOTE® FLEX XT™

SPARTACOTE® FLEX XT™ is a high performance, 92% solids, coating material designed for rapid cure within heavy-duty environments. Ideal for use as a top-coat system over or epoxy coating applications, SPARTACOTE FLEX XT is a green-friendly, low VOC and low odour product that allows a rapid return to service. 1:1 mix ratio.

Code	Description	
9130-0002-2	SPARTACOTE® FLEX XT™ Clear 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
Part A: 9135-0005-2 Part B: 9136-0005-2	SPARTACOTE FLEX XT Clear Part A: 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	
9137-0002-2	SPARTACOTE FLEX XT Pigment Base (use with SPARTACOTE Pigment) 7.6 L box kit contains: Part A: Short Filled 2.8 L in 3.8 L pail Part B: 3.8 L pail	
Part A: 9134-0375-2 Part B: 9136-0005-2	SPARTACOTE FLEX XT Pigment Base (use with SPARTACOTE Pigment) Part A: Short Filled 14.2 L in a 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	





SPARTACOTE® FLEX PURE™

The ultra high solids, low VOC, two-part aliphatic polyurea coating, SPARTACOTE® FLEX PURE™ is an optimal coating solution for institutional facilities, hospitals, schools, governments and any other project requiring a highly durable and virtually odour-free coating with rapid return to service capabilities. Available in clear or pigmented base. 1:1 mix ratio.

Code	Description	
9140-0002-2	SPARTACOTE® FLEX PURE™ CLEAR 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
Part A: 9145-0005-2 Part B: 9146-0005-2	SPARTACOTE FLEX PURE Part A: 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	
9150-0002-2	SPARTACOTE FLEX PURE Pigment Base (use with SPARTACOTE Pigment) Part A: Short Filled 2.8 L in 3.8 L pail Part B: 3.8 L pail	
Part A: 9153-0375-2 Part B: 9156-0005-2	SPARTACOTE FLEX PURE Pigment Base (use with SPARTACOTE Pigment) Part A: Short Filled 14.2 L in a 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	



SPARTACOTE® PIGMENTS

Designed for use with SPARTACOTE® coatings, SPARTACOTE Pigments are available in 14 standard colours. These resin based pigments are dispersed directly into SPARTACOTE FLEX SB™, SPARTACOTE FLEX XT™ or SPARTACOTE FLEX PURE™ short-filled Part A pigment base.

Code	Description	
See Codes Below	SPARTACOTE® Pigment 0.9 L unit Combine with Part A Short Filled 2.8 L in 3.8 L pail Available in all 14 colours	
See Codes Below	SPARTACOTE Pigment 4.7 L unit Combine with Part A Short Filled 14.2 L in a 18.9 L pail with pour spout Available Colours: light grey, medium grey, sand beige, dark beige, black and white	

SPARTACOTE PIGMENT COLOURS

Black 9168-0001-3: 0.9 L 9184-0125-3: 4.7 L	Dark Blue 9169-0001-4: 0.9 L	Tile Red 9170-0001-5: 0.9 L	Bright Green 9171-0001-6: 0.9 L
Light Grey 9160-0001-7: 0.9 L 9180-0125-7: 4.7 L	Medium Grey 9161-0001-8: 0.9 L 9181-0125-8: 4.7 L	Dark Grey 9162-0001-9: 0.9 L	White 9166-0001-10: 0.9 L 9185-0125-10: 4.7 L
Light Beige 9163-0001-11: 0.9 L	Sand Beige 9164-0001-12: 0.9 L 9182-0125-12: 4.7 L	Dark Beige 9165-0001-13: 0.9 L 9183-0125-13: 4.7 L	Light Brown 9167-0001-14: 0.9 L
Safety Yellow 9172-0001-15: 0.9 L	Safety Red 9173-0001-16: 0.9 L		

NOTE: Pre-Pigmented 18.9 L Part A available upon request. Please allow for additional lead time when ordering.



DRYTEK® MOISTURE VAPOUR BARRIER

Designed for use as a primer over concrete substrates exhibiting elevated moisture vapour emission rates, DRYTEK® MOISTURE VAPOUR BARRIER may be used over damp concrete or new/green concrete that is only 5 days old. This barrier can be incorporated as a primer within any SPARTACOTE® floor coating system or as an underlayment below other types of commercial flooring systems. DRYTEK MOISTURE VAPOUR BARRIER exceeds ASTM F3010 standard with a perm rating of 0.052 grains/h/ft²/in. Hg (3 ng/h • m² • Pa) at only 12 mil thickness.

Code	Description
4151-0003-2	DRYTEK® MOISTURE VAPOUR BARRIER Mini Unit Kit*: 9.1 L Part A: 2.3 L packaged in a steel pail Part B: 6.1 L packaged in a steel pail
4151-0006-2	DRYTEK MOISTURE VAPOUR BARRIER Full Unit Kit*: 24.6 L Part A: 8.3 L packaged in a steel pail Part B: 16.3 L packaged in a steel pail



*DRYTEK® MOISTURE VAPOUR BARRIER is a kit of two pails. Individual pails (Part A or Part B) cannot be purchased separately, and cannot be returned separately.

SPARTACOTE® SURFACE BUILD 110™

1:1 mix ratio. Two-component, 100% solids, self-leveling epoxy primer.
Available in a 7.6 L kit or 18.9 L pails.

Code	Description
Clear: 9210-0002-2 Light Grey: 9218-0002-7 Sand Beige: 9219-0002-12	SPARTACOTE® SURFACE BUILD 110™ 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L
Part A: Clear: 9226-0005-2 Part B: Clear: 9228-0005-2	SPARTACOTE SURFACE BUILD 110 Part A: 18.9 L Part B: 18.9 L



SPARTACOTE® SURFACE BUILD 150™

SPARTACOTE® SURFACE BUILD 150™ is a high quality, two-component, self leveling, 100% solids epoxy coating. For use as a build coat for thick mil coating systems. 2:1 (A:B) mix ratio. Available in 7.6 L Part A and 3.8 L Part B Clear. Also available: 18.9 L Part A and 18.9 L Part B.

Code	Description
Part A: 9230-0002-2 Part B: 9231-0001-2	SPARTACOTE® SURFACE BUILD 150™ Part A: 7.6 L in 11.3 L pail Part B: 3.7 L in pail
Part A: 9233-0005-2 Part B: 9234-0005-2	SPARTACOTE SURFACE BUILD 150 Part A: 18.9 L - two units required Part B: 18.9 L



SPARTACOTE WB EPOXY PRIMER™

Fast-drying, 40% solids, water-based epoxy primer. Available in clear finish or 3 colours, SPARTACOTE® WB EPOXY PRIMER™ is used as a primer coating within indoor applications requiring low VOC emissions and low odour. Mix Ratio: 3:2 (A:B).

Code	Description
9201-0003-2	SPARTACOTE WB EPOXY PRIMER™ Part A: 5.7 L in 11.4 L pail
Clear: 9202-0001-2 Sand Beige: 9203-0001-12 Light Grey: 9204-0001-7 Black: 9205-0001-3	SPARTACOTE WB EPOXY PRIMER Part B: 3.8 L pail



SPARTACOTE® VIVID DYE™

A concentrated liquid based dye, SPARTACOTE® VIVID DYE™ is to be dispersed into 3.8 L of acetone or water and then applied by sprayer to mechanically profiled concrete.

Code	Description
See codes below	SPARTACOTE® VIVID DYE™ 148 ml bottle



SPARTACOTE VIVID DYE COLOURS

 Raw Sienna 9401-0005-2	 Turquoise 9410-0005-2	 Chocolate 9409-0005-2	 Citrus 9415-0005-2
 Black 9416-0005-2	 Walnut 9413-0005-2	 Terra Cotta 9411-0005-2	 Mahogany 9408-0005-2
 Green 9406-0005-2	 Pumpkin 9407-0005-2	 Sapphire 9414-0005-2	 Dark Alder 9412-0005-2
 Gold 9402-0005-2	 Caramel 9405-0005-2	 Sepia 9404-0005-2	













SPARTACOTE® METALLIC PIGMENTS™

SPARTACOTE® METALLIC PIGMENTS™ use synthetically produced aluminum platelets coated with metal oxides to produce beautiful colour intensity and luster. Designed to be added directly into SPARTACOTE FLEX SB™ and SPARTACOTE SURFACE BUILD 150™ coatings, these materials may be applied using a variety of methods depending on the desired final appearance.

Code	Description
See Codes Below	SPARTACOTE® METALLIC PIGMENTS™ 237 ml bottle
	SPARTACOTE METALLIC PIGMENTS 0.9 L bottle



SPARTACOTE METALLIC PIGMENT COLOURS

 Cobalt Blue 9454-0008-2: 237 ml 9453-0032-17: 0.9 L	 Copper 9458-0008-2: 237 ml 9457-0032-2: 0.9 L	 Royal Purple 9464-0008-2: 237 ml 9463-0032-2: 0.9 L	 Coffee 9456-0008-2: 237 ml 9455-0032-2: 0.9 L
 Chrome 9450-0008-2: 237 ml 9449-0032-2: 0.9 L	 Electric Orange 9460-0008-2: 237 ml 9459-0032-2: 0.9 L	 Arctic Ice 9442-0008-2: 237 ml 9441-0032-2: 0.9 L	 Spanish Gold 9446-0008-2: 237 ml 9445-0032-2: 0.9 L
 Walnut 9448-0008-2: 237 ml 9447-0032-2: 0.9 L	 Deep Cherry 9452-0008-2: 237 ml 9451-0032-2: 0.9 L	 Aspen Sunset 9444-0008-2: 237 ml 9443-0032-2: 0.9 L	 Gunmetal Grey 9462-0008-2: 237 ml 9461-0032-2: 0.9 L

SPARTACOTE® BLENDING CHIP

SPARTACOTE® decorative vinyl and mica colour chips (flakes), are specially blended chip media used within SPARTACOTE Chip and SPARTACOTE Chip PURE seamless, resin-based chip (flake) flooring systems. This unique product is random in shape, sized within a standardized range and custom blended in 13 colours to match any décor.

Code	Description
See Codes Below	SPARTACOTE® Blended Vinyl or Mica Chip Vinyl Chip: 24.9 kg box Mica Chip: 11.3 kg box



SPARTACOTE BLENDING VINYL CHIP COLOURS




Copper Mountain 6 mm
9301-0055-2



Copper Mountain 3 mm
9310-0055-2



Desert Storm 6 mm
9302-0055-2



Granite 6 mm
9303-0055-2




Black Canyon 3 mm
9304-0055-2



Salt & Pepper 6 mm
9305-0055-2



Red Rocks 6 mm
9306-0055-2



Midnight Blue 6 mm
9307-0055-2

SPARTACOTE BLENDING MICA CHIP COLOURS



Antique Gold Mica
9313-0025-2




Freestone Mica
9314-0025-2



Glacier Mica
9315-0025-2



Beechnut Mica
9316-0025-2



Copper River Mica
9317-0025-2

SPARTACOTE® BLENDING QUARTZ AGGREGATE

Coloured quartz aggregates are composed of uniformly shaped and sized colour quartz granules colour-coated with a UV stable urethane coating. Select from one of ten decorative SPARTACOTE® blends to provide a customized look that will enhance appearance while providing increased traction and durability.

Code	Description
See Codes Below	SPARTACOTE® BLENDING QUARTZ AGGREGATE 22.7 kg



SPARTACOTE BLENDING QUARTZ COLOURS



Limestone
9331-0050-2



Slate
9338-0050-2



Flint
9328-0050-2



Evening
9327-0050-2



Cobblestone
9326-0050-2



Mojave
9333-0050-2



Sandstone
9336-0050-2



Lemongrass
9330-0050-2



Blue Moon
9323-0050-2



Brick
9324-0050-2

SPARTACOTE® GRIP™

A full line of traction additive materials for use within SPARTACOTE® coating systems, this material is sifted from a high-strength pulverised resin, making it extremely lightweight. A viable alternative to heavier aggregates, SPARTACOTE GRIP™ can be dispersed and suspended directly into coatings or broadcast depending on the application.

Code	Description	
9350-0016-2	40 mesh (largest)	} 454 g jar
9351-0016-2	60 mesh	
9352-0016-2	100 mesh (smallest)	



SPARTACOTE DIAMOND TOPP™

A specialised additive for use in extreme heavy-traffic situations during the top coating phase of a project, SPARTACOTE DIAMOND TOPP™ will leave a light sandpaper texture and a matte finish.

Code	Description	
9355-0003-2	SPARTACOTE® DIAMOND TOPP™ 1.4 kg unit	
9365-0050-2	SPARTACOTE DIAMOND TOPP 22.7 kg unit	

SPARTACOTE FAST FIX™

SPARTACOTE FAST FIX™ is a fast setting, two-component hybrid urethane concrete repair material, with ultra-low viscosity properties allowing for deep penetration into concrete. Use either neat or with a kiln-dried sand to form a high strength concrete repair. Ready to grind smooth within 15 minutes following application.

Code	Description	
9500-0002-2	SPARTACOTE FAST FIX™ 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
Part A: 9505-0005-2 Part B: 9506-0005-2	SPARTACOTE FAST FIX Part A: 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	


SPARTACOTE® FAST FIX™ Low Odour


Code	Description	
9530-0002-2	SPARTACOTE® FAST FIX™ Low Odour 7.6 L box kit contains: Part A: 3.8 L Part B: 3.8 L	
Part A: 9533-0005-2 Part B: 9534-0005-2	SPARTACOTE FAST FIX™ Low Odour Part A: 18.9 L pail with pour spout Part B: 18.9 L pail with pour spout	


SPARTACOTE TOOLS & SUNDRIES


SPARTACOTE® is pleased to offer wholesale pricing on quality sundries and tools. These products are among those most widely used by SPARTACOTE coating contractors when applying coating systems.


Code	Description	
9730-0601-2	SPARTACOTE Roller Skin Box of 6	
9731-0301-2	SPARTACOTE Roller Frame Pack of 3	
9720-0000-2	SPARTACOTE Resin Broom Handle w/Handle & Head Includes one 914 mm Head	
9721-0001-2	SPARTACOTE Resin Broom Replacement Head	


SPARTACOTE® GUARD™ Solid Colour Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE® FLEX SB™ Pigment base kit	8.1 m²/L
		See page 9	SPARTACOTE pigment	65 m²/L
	Second Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	8.1 m²/L
		See page 9	SPARTACOTE pigment	65 m²/L
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
		See page 16	SPARTACOTE GRIP™ Traction Additive	23 ml/L


SPARTACOTE CHIP™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	8.1 m²/L
		See page 9	SPARTACOTE pigment	65 m²/L
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	12.3 m²/L
	Chip Broadcast	See page 14	SPARTACOTE Blended Chip, 55 lb (25 kg) box	37 m²/box
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	3.9 m²/L


SPARTACOTE MICA CHIP™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	8.1 m²/L
		See page 9	SPARTACOTE pigment	65 m²/L
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
	Chip Broadcast	See page 14	SPARTACOTE Blended Mica Chip, 11.3 kg box	37 m²/box
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	3.9 m²/L
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	7.4 m²/L


SPARTACOTE QUARTZ™ Quartz Flooring		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	8.1 m²/L
		See page 9	SPARTACOTE pigment	65 m²/L
	Quartz Broadcast	See page 15	SPARTACOTE Blended Quartz, 22.7 kg bag	23.2 m²/bag
	Broadcast Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	3.9 m²/L
	Quartz Broadcast	See page 15	SPARTACOTE Blended Quartz, 22.7 kg bag	23.2 m²/bag
	Grout Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	3.9 m²/L
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	3.9 m²/L


SPARTACOTE® STAIN™ Dye & Seal		Code	Description	Coverage
	Concrete Dye	See page 12	SPARTACOTE® VIVID DYE™, 148 ml bottle	37 m²/bottle
	Note: Disperse SPARTACOTE® VIVID DYE™ into 3.8 L water or acetone			
	Mid Coat	9100-0002-2	SPARTACOTE FLEX SB™ Clear	8.1 m²/L
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
		See page 16	SPARTACOTE GRIP™ Traction Additive	23 ml/L
	Note: SPARTACOTE FLEX SB™ Low Gloss may be substituted for SPARTACOTE FLEX SB Clear			


SPARTACOTE SEAL™ Clear Sealer System		Code	Description	Coverage
	Prime Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
		See page 16	SPARTACOTE GRIP Traction Additive	23 ml/L
	Note: SPARTACOTE FLEX SB Low Gloss may be substituted for SPARTACOTE FLEX SB Clear			


SPARTACOTE METALLIC™ Pigment Flooring		Code	Description	Coverage
	Prime Coat	9115-0002-2	SPARTACOTE FLEX SB Pigment base kit	8.1 m²/L
		9168-0001-3	SPARTACOTE pigment (Black)	65 m²/L
	Metallic Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	2.5 m²/L
		See page 13	SPARTACOTE Metallic Pigment, 237 ml jar	9.3 m²/jar
	Top Coat	9100-0002-2	SPARTACOTE FLEX SB Clear	8.1 m²/L
		See page 16	SPARTACOTE GRIP Traction Additive	23 ml/L
	Note: SPARTACOTE FLEX SB Low Gloss top coat may be substituted for SPARTACOTE FLEX SB Clear			


SPARTACOTE DIAMOND TOPP™ Top Coat System		Code	Description	Coverage
	Top Coat	9110-0002-2	SPARTACOTE FLEX SB Low Gloss	8.6 m²/L
		9355-0003-2	SPARTACOTE DIAMOND TOPP™ Additive, 1.4 kg jar	8.6 m²/L
	Note: SPARTACOTE DIAMOND TOPP™ may be used as a top-coat replacement on any SPARTACOTE coating system. Overall coverage may vary.			


SPARTACOTE® FLEX PURE™ Solid Colour Coating System		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE® FLEX PURE™ Pigment Base Kit	4.9 m²/L
		See page 9	SPARTACOTE pigment	39.1 m²/L
	Second Coat	9150-0002-2	SPARTACOTE FLEX PURE Pigment Base Kit	4.9 m²/L
		See page 9	SPARTACOTE pigment	39.1 m²/L
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L


SPARTACOTE CHIP PURE™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE Pigment Base Kit	4.9 m²/L
		See page 9	SPARTACOTE pigment	39.1 m²/L
	Chip Broadcast	See page 14	SPARTACOTE Blended Chip, 25 kg box	37 m²/box
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L

SPARTACOTE MICA CHIP PURE™ Chip/Flake Coating		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE Pigment Base Kit	4.9 m²/L
		See page 9	SPARTACOTE pigment	39.1 m²/L
	Chip Broadcast	See page 14	SPARTACOTE Blended Mica Chip, 11.3 kg box	37 m²/box
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L
	2nd Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	7.4 m²/L

SPARTACOTE QUARTZ PURE™ Quartz Flooring		Code	Description	Coverage
	Prime Coat	9150-0002-2	SPARTACOTE FLEX PURE Pigment Base Kit	4.9 m²/L
		See page 9	SPARTACOTE pigment	39 m²/L
	Quartz Broadcast	See page 15	SPARTACOTE Blended Quartz, 22.7 kg bag	23.3 m²/bag
	Broadcast Coat	9150-0002-2	SPARTACOTE FLEX PURE Clear	3.7 m²/L
	Quartz Broadcast	See page 15	SPARTACOTE Blended Quartz, 22.7 kg bag	23.3 m²/bag
	Grout Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	3.7 m²/L
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L

SPARTACOTE® STAIN PURE™ Dye & Seal		Code	Description	Coverage
	Concrete Dye	See page 12	SPARTACOTE® VIVID DYE™, 148 ml bottle	37 m²/bottle
	Note: Disperse SPARTACOTE® VIVID DYE™ into 3.8 L water			
	Mid Coat	Part A: 9201-0003-2 Part B: 9202-0001-2	SPARTACOTE WB EPOXY PRIMER™ Part A: 5.7 L pail in 11.4 L pail Part B: 3.8 L pail	4.9 m²/L
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE™ Clear	4.9 m²/L
		See page 16	SPARTACOTE GRIP™ Traction Additive	23 ml/L

SPARTACOTE SEAL PURE™ Clear Sealer System		Code	Description	Coverage
	Prime Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE Clear	4.9 m²/L
		See page 16	SPARTACOTE GRIP Traction Additive	23 ml/L

SPARTACOTE METALLIC PURE™ Metallic Flooring		Code	Description	Coverage
	Prime Coat	Part A: 9201-0003-2 Part B: 9205-0001-3	SPARTACOTE AQUA FLEX WB™ SPARTACOTE AQUA FLEX WB (Black)	200 ft²/gal (4.9 m²/L)
	Metallic Coat	Part A: 9230-0002-2 Part B: 9231-0001-2	SPARTACOTE SURFACE BUILD 150™ Part A: 7.6 L in 11.4 L/pail Part B: 3.8 L	2 m²/L
		See page 13	SPARTACOTE METALLIC PIGMENTS™	7.4 m²/236 ml jar
	Top Coat	9140-0002-2	SPARTACOTE FLEX PURE	4.9 m²/L
		See page 16	SPARTACOTE GRIP Traction Additive	23 ml/L

TERMS AND CONDITIONS/CONTACT INFORMATION

Price List Qualification	Contact your LATICRETE Sales Representative for qualification criteria.
Payment Terms	Net 30 Days while account is in good standing. Past due accounts are subject to 1.5% per month charge and will be placed on Collect on Delivery, or Collect in Advance.
Orders	An official purchase order is required when placing orders.
Delivery	Lead time 4-6 weeks.
Returns/ Cancellations	Allowed only with prior written authorisation from LATICRETE. Return freight charges are to be PREPAID by Distributor. All returned or canceled goods are subject to a minimum 30% inspection, repackaging, and restocking charge, depending on the condition of goods when received. No returns on goods more than 6 months old.
Carton Policy	Full cartons only.
Special Order Items	A written purchase order is required. Special orders are not cancelable or returnable.
Payment	LATICRETE except Credit Card Payments, Cheque or EFT into our nominated bank account.
Making a Shortage Claim	Contact your local LATICRETE Customer Service location. All claims must be made within 48 hrs of receipt of delivery. No adjustments after 48 hrs.
Making a Product Claim	Contact your local LATICRETE Technical Representative. All claims must be documented on a LATICRETE Complaint Form. The Distributor may be requested to initiate this process. All settlement offers will be documented in writing. LATICRETE is NOT responsible for any settlement costs incurred by any party prior to investigation of claim and acceptance of written offer.

NOTE: Terms and Conditions subject to change without notice.

Pricing subject to change. Please contact order entry for more information.

How to Reach LATICRETE	
Free call within Australia	1800 331 012
Free fax within Australia	1800 808 549
Websites	www.hpspartacote.com www.laticrete.com.au
Postal Mail	LATICRETE Pty Ltd 29 Telford Street Virginia QLD 4014 Australia
Email	info@laticrete.com.au





LATICRETE Pty Ltd | 29 Telford Street, Virginia, QLD 4014 Australia | 1800 331 012 | www.hpspartacote.com

DS-1179-0715 ©2015 LATICRETE Pty Ltd. All trademarks shown are the intellectual properties of their respective owners.

Products shown are manufactured by or emanate from LATICRETE International, Inc. and/or its affiliates and are not manufactured by nor emanate from E. I. du Pont de Nemours and Company and/or its affiliates.